



MANUFACTURER'S SUGGESTED LIST PRICE OCTOBER 2005

Parts Listed Alphanumerically

NOTE: Shaded lines indicate Electronic Torque Products, Non-Shaded indicate Mechanical Torque Products

CDI Part Number	Description	Catalog Page	List Price
1.81NLDNSS	1/4" drive, 0-1.8 Nm Dial Torque Wrench, Single Scale	46	221.26
10002-I-ETT	3/8" drive, 100-1000 in. lb. Electronic Torque Tester	24	2,023.82
10002MRMH	3/8" drive, 150-1000 in. lb. Micro-adj. metal handle	52	192.82
10002MRPH	3/8" drive, 150-1000 in. lb. Micro-adj. comfort grip	54	192.82
10005CF-II	1" drive, 100-1000 ft. lb. "COMPUTORQ II" Electronic Torque Wrench	31	2,127.48
10005LDFE	1" drive, 0-1000 ft. lb. Dial w/ light and buzzer, Dual Scale	49	1,657.00
10005LDFESS	1" drive, 0-1000 ft. lb. Dial w/ light and buzzer, Single Scale	45	1,657.00
10005LDFN	1" drive, 0-1000 ft. lb. Dial Torque Wrench, Dual Scale	49	1,348.55
10005LDFNSS	1" drive, 0-1000 ft. lb. Dial Torque Wrench, Single Scale	45	1,348.55
10005MFRMH	1" drive, 200-1000 ft. lb. Micro-adj. metal handle	52	1,782.21
10005MFRPH	1" drive, 200-1000 ft. lb. Micro-adj. comfort grip	54	1,782.21
1001-I-ETT	1/4" drive, 10-100 in. lb. Electronic Torque Tester	24	2,023.82
1001-O-ETT	1/4" drive, 10-100 in. oz. Electronic Torque Tester	24	2,023.82
1002CF3	3/8" dr. 10-100 ft.lb. Computorq 3 Digital Torque Wrench	33	312.00
1002-F-MT	3/8" drive, 10-100 ft. lb. Multitorq Sensor	28	359.06
1002MFRMH	3/8" drive, 10-100 ft. lb. Micro-adj. metal handle	52	192.82
1002MFRPH	3/8" drive, 10-100 ft. lb. Micro-adj. comfort grip	54	192.82
1002NMRMH	3/8" drive, 20-100 Nm Micro-adj. metal handle	53	192.82
1003LDFN	1/2" drive, 0-100 ft. lb. Dial Torque Wrench, Dual Scale	49	284.55
1003LDFNSS	1/2" drive, 0-100 ft. lb. Dial Torque Wrench, Single Scale	45	284.55
100T-I	20-150 ft. lb. Pre-Set Clicker, Interchangeable Head, "Y" Shank	59	204.40
101-I-MT	1/4" drive, 1-10 in. lb. Multitorq Sensor	28	453.42
10ST-I	84-300 in. lb. Pre-Set Clicker, Short tube, Interchangeable Head, "J" Shank	59	140.60
10T-I	30-250 in. lb. Pre-Set Clicker, Interchangeable Head, "J" Shank	59	140.60
14005NLDESS	1" drive, 0-1400 Nm Dial w/ light and buzzer, Single Scale	47	1,657.00
14005NLDNSS	1" drive, 0-1400 Nm Dial Torque Wrench, Single Scale	47	1,348.55
1403NLDNSS	1/2" drive, 0-140 Nm Dial Torque Wrench, Single Scale	47	284.55
15005-F-MT	1" drive, 150-1500 ft. lb. Multitorq Sensor	28	774.30
15005NMRMH	1" drive, 300-1500 Nm Micro-adj. metal handle	53	1,782.21
1501MRMH	1/4" drive, 20-150 in. lb. Micro-adj. metal handle	52	177.39
1501MRPH	1/4" drive, 20-150 in. lb. Micro-adj. comfort grip	54	177.39
1501TP-1	1/4" sq. drive, 20-170 in. lb. Torky	41	173.86
1501TPA-1	1/4" hex drive, 20-170 in. lb. Torky	41	160.19
1502LDIN	3/8" drive, 0-150 in. lb. Dial Torque Wrench, Dual Scale	48	221.25
1502LDINSS	3/8" drive, 0-150 in. lb. Dial Torque Wrench, Single Scale	44	221.25
1502MRMH	3/8" drive, 20-150 in. lb. Micro-adj. metal handle	52	177.39
1502TP-1	3/8" sq. drive, 20-170 in. lb. Torky	41	179.65
1503MFRMH	1/2" drive, 20-150 ft. lb. Micro-adj. metal handle	52	221.71
1503MFRPH	1/2" drive, 20-150 ft. lb. Micro-adj. comfort grip	54	221.71
150MFIMH	"Y" drive, 20-150 ft. lb. Micro-adj. Interchangeable Head, metal handle	57	243.72
151LDIN	1/4" drive, 0-15 in. lb. Dial Torque Wrench, Dual Scale	48	221.25
151LDINSS	1/4" drive, 0-15 in. lb. Dial Torque Wrench, Single Scale	44	221.25
151NSM	1/4" female hex drive, 40-200 cNm Micro-adj. Torque Screwdriver	38	233.60
151SM	1/4" female hex drive, 3-15 in. lb. Micro-adj. Torque Screwdriver	38	233.60
151SP	1/4" female hex drive, 1.5-15 in. lb. Pre-set Torque Screwdriver	39	179.10
1600-10	Multitorq Interface Cable to Serial Printer	28	66.46
1600-20	Multitorq Interface Cable RS-232 to PC	28	66.46
1600-30	Multitorq Power Pack 120 VAC to 9 VDC	28	34.77
1600-MT	Multitorq Meter w/Case and Charger	28	1,308.62
1753LDFN	1/2" drive, 0-175 ft. lb. Dial Torque Wrench, Dual Scale	49	284.55

CDI Part Number	Description	Catalog Page	List Price
1753LDFNSS	1/2" drive, 0-175 ft. lb. Dial Torque Wrench, Single Scale	45	284.55
182NLDNSS	3/8" drive, 0-18 Nm Dial Torque Wrench, Single Scale	46	269.59
2000-1	Multitest Premier Calibration System Complete	3	95,542.47
2000-100-02	Roller / Storage Cabinet 45" W x 24" D x 33" H	3	4,802.09
2000-10-02	Transducer Kit-Range 10-125 ft. lb.	3	1,733.49
2000-11-02	Transducer Kit-Range 20-250 ft. lb.	3	1,733.49
2000-12-02	Transducer Kit-Range 60-600 ft. lb.	3	1,827.42
2000-13-02	Transducer Kit-Range 100-1000 ft. lb.	3	2,921.55
2000-14-02	Transducer Kit-Range 200-2000 ft. lb.	3	3,442.73
2000-150-03	Transducer Bracket, 1000-2000 ft.lb.	20	712.20
2000-151-0	5" Calibration Wheel	3	659.97
2000-152-0	10" Butterfly Calibration Wheel	3	1,003.56
2000-152-3	1/2" X 3/8" Calibration Arm Adapter	19	80.96
2000-154-0	40" Calibration Arm	3	2,813.13
2000-154-8	1 1/4" x 3/4" Calibration Arm Adapter	19	194.08
2000-2	Multitest Supreme Calibration System Complete	4	48,396.82
2000-226-2	1" x 3/4" Calibration Arm Adapter	19	203.15
2000-226-3	3/4" x 1/2" Sq. Drive Reducer	19	200.31
2000-250-02	Calibration Stand Kit	3	5,907.80
2000-260-0	Force Tensiometer Testing Kit 10 Cables 1/16" to 3/8"	3	3,991.45
2000-261-0	Force Tension Gage Kit	3	2,507.22
2000-262-0	Force Compression Gage Kit	3	5,462.71
2000-263-02	Force Arm Kit-Small and Large Arms	3	3,933.16
2000-3	Multitest Basic Calibration System Complete	5	35,137.50
2000-301	8 oz. Hanger Calibration Weight Tray	3	309.48
2000-302-0	15 lb. Calibration Weight Tray	3	1,011.66
2000-303-0	50 lb. Calibration Weight Tray	3	1,230.95
2000-304-0	7.5 lb. Calibration Weight Tray	3	949.91
2000-320-0	Weight Set #1	3	7,591.10
2000-321-0	Weight Set #2	18	6,069.66
2000-322-0	Weight Set #3	18	5,428.72
2000-400-02	4 in 1 Transducer Kit-Range 4 in. lb. to 250 ft. lb.	3	3,418.44
2000-4-02	Transducer Kit-Range 5-50 in. oz.	3	1,375.80
2000-500-02	4 in 1 Transducer Adapter Kit	3	697.65
2000-50-1	Cable from Multitest to PC	3	105.26
2000-5-02	Transducer Kit-Range 15-200 in. oz.	3	1,375.80
2000-50-2	Cable from Multitest to External Serial Printer	11	105.26
2000-550-02	Extension Arm for Long Torque Wrench, Reach up to 80"	3	1,459.98
20005LDFE	1" drive, 0-2000 ft. lb. Dial w/ light and buzzer, "T" Style, Dual Scale	49	2,567.41
20005LDFESS	1" drive, 0-2000 ft. lb. Dial w/ light and buzzer, "T" Style, Single Scale	45	2,567.41
20005MFMH	1" drive, 300-2000 ft. lb. Micro-adj. metal handle	52	3,731.16
2000-600-02	Mechanical Loader Max 2000 ft.lb.	3	19,795.78
2000-6-02	Transducer Kit-Range 4-50 in. lb.	3	1,375.80
2000-610-02	Multitest Digital Monitor	3	6,649.10
2000-65-02	Transducer Kit-Range 15-150 in. lb.	3	1,375.80
2000-7-02	Transducer Kit-Range 30-400 in. lb.	3	1,375.80
2000-750-02	Torque Screwdriver Testing Kit for 2000-600-02 Loader	3	2,712.74
2000-750-06	Torque Screwdriver Testing Kit for 600TL Loader	15	2,712.74
2000-8-02	Transducer Kit-Range 80-1000 in. lb.	3	1,375.80
2000-SW	Wedgelink Software	3	315.65
2001-I-MT	1/4" drive, 20-200 in. lb. Multitorq Sensor	28	359.06
2002MRMH	3/8" drive, 30-200 in. lb. Micro-adj. metal handle	52	177.39
2003NMRMH	1/2" drive, 40-200 Nm Micro-adj. metal handle	53	233.34
200T-I	30-200 ft. lb. Pre-Set Clicker, Interchangeable Head, "Y" Shank	59	214.14
201-O-MT	1/4" drive, 2-20 in. oz. Multitorq Sensor	28	453.42
21SP	1/4" female hex drive, 6-32 in. oz. Pre-set Torque Screwdriver	39	170.20
2401CI3	1/4" dr. 24-240 in.lb. Computorq 3 Digital Torque Wrench	33	289.00
2403NLDNSS	1/2" drive, 0-240 Nm Dial Torque Wrench, Single Scale	47	284.55

CDI Part Number	Description	Catalog Page	List Price
25003MRMH	1/2" drive, 300-2500 in. lb. Micro-adj. metal handle	52	233.34
2500-50-0	2 1/2" Calibration Wheel	3	584.35
25005NLDESS	1" drive, 0-2500 Nm Dial w/ light and buzzer, "T" Style, Single Scale	47	2,567.41
2502CI-II	3/8" drive, 25-250 in. lb. "COMPUTORQ II" Electronic Torque Wrench	31	1,058.36
2502-I-ETT	3/8" drive, 25-250 in. lb. Electronic Torque Tester	24	2,023.82
2502LDIN	3/8" drive, 0-250 in. lb. Dial Torque Wrench, Dual Scale	48	221.25
2502LDINSS	3/8" drive, 0-250 in. lb. Dial Torque Wrench, Single Scale	44	221.25
2502MRMH	3/8" drive, 30-250 in. lb. Micro-adj. metal handle	52	183.18
2502MRPH	3/8" drive, 30-250 in. lb. Micro-adj. comfort grip	54	183.18
2503CF3	1/2" dr. 25-250 ft.lb. Computorq 3 Digital Torque Wrench	33	365.00
2503CF-II	1/2" drive, 25-250 ft. lb. "COMPUTORQ II" Electronic Torque Wrench	31	1,174.24
2503-F-ETT	1/2" drive, 25-250 ft. lb. Electronic Torque Tester	24	2,083.89
2503-F-MT	1/2" drive, 25-250 ft. lb. Multitorq Sensor	28	427.19
2503LDFN	1/2" drive, 0-250 ft. lb. Dial Torque Wrench, Dual Scale	49	284.55
2503LDFNSS	1/2" drive, 0-250 ft. lb. Dial Torque Wrench, Single Scale	45	284.55
2503MFRMH	1/2" drive, 30-250 ft. lb. Micro-adj. metal handle	52	240.09
2503MFRPH	1/2" drive, 30-250 ft. lb. Micro-adj. comfort grip	54	240.09
250MFIMH	"Y" drive, 30-250 ft. lb. Micro-adj. Interchangeable Head, metal handle	57	278.59
252LDFN	3/8" drive, 0-25 ft. lb. Dial Torque Wrench, Dual Scale	49	221.25
252LDFNSS	3/8" drive, 0-25 ft. lb. Dial Torque Wrench	44	221.25
260-27	1/4" hex x 1/4" sq. Socket Adapter	63	62.73
2800-1	Multitest Motorized System Complete	7	34,501.21
3.51NLDNSS	1/4" drive, 0-3.5 Nm Dial Torque Wrench, Single Scale	46	221.25
3002LDIN	3/8" drive, 0-300 in. lb. Dial Torque Wrench, Dual Scale	48	221.25
3002LDINSS	3/8" drive, 0-300 in. lb. Dial Torque Wrench, Single Scale	44	221.25
300T-I	60-300 ft. lb. Pre-Set Clicker, Interchangeable Head, "X" Shank	59	399.40
301LDIN	1/4" drive, 0-30 in. lb. Dial Torque Wrench, Dual Scale	48	221.25
301LDINSS	1/4" drive, 0-30 in. lb. Dial Torque Wrench, Single Scale	44	221.25
302NLDNSS	3/8" drive, 0-30 Nm Dial Torque Wrench, Single Scale	46	221.25
3403NMRMH	1/2" drive, 60-340 Nm Micro-adj. metal handle	53	240.09
342-35	Transducer Mounting Bracket up to 1000 in. lb. (TB342/1)	20	208.19
342-36	Transducer Mounting Bracket 125-600 ft. lb. (TB342/2)	20	218.67
342-40	1/4" sq. x 1/4" sq. Socket Adapter	63	62.73
342-41-1	1/4" sq. x 3/8" sq. Socket Adapter	63	68.25
342-41-2	3/8" sq. x 3/8" sq. Socket Adapter	63	46.24
343-25	Transducer Bracket, 4 in 1 / ETT	20	382.95
3503NLDNSS	1/2" drive, 0-350 Nm Dial Torque Wrench, Single Scale	47	284.55
3504LDFN	3/4" drive, 0-350 ft. lb. Dial Torque Wrench, Dual Scale	49	601.99
3504LDFNSS	3/4" drive, 0-350 ft. lb. Dial Torque Wrench, Single Scale	45	601.99
352NLDNSS	3/8" drive, 0-35 Nm Dial Torque Wrench, Single Scale	46	284.55
390-2-2	4 oz. Hanger Calibration Weight Tray	3	226.03
4001-O-ETT	1/4" drive, 40-400 in. oz. Electronic Torque Tester	24	2,023.82
4004MFRMH	3/4" drive, 80-400 ft. lb. Micro-adj. metal handle	52	737.22
401NSM	1/4" female hex drive, 50-450 cNm Micro-adj. Torque Screwdriver	38	239.17
401SM	1/4" female hex drive, 5-40 in. lb. Micro-adj. Torque Screwdriver	38	239.17
401SP	1/4" female hex drive, 4-40 in. lb. Pre-set Torque Screwdriver	39	199.12
4804NLDNSS	3/4" drive, 0-480 Nm Dial Torque Wrench	47	601.99
5000-1	Suretest Premier Calibration System Complete	11	69,753.33
5000-2	Suretest Supreme Calibration System Complete	12	46,597.20
5000-3	Suretest Basic Calibration System Complete	13	14,120.07
5000-ST	Suretest Monitor w/Cable and Case	11	4,376.66
501CI-II	1/4" drive, 5-50 in. lb. "COMPUTORQ II" Electronic Torque Wrench	31	1,058.36
501-I-ETT	1/4" drive, 5-50 in. lb. Electronic Torque Tester	24	2,023.82
501-I-MT	1/4" drive, 5-50 in. lb. Multitorq Sensor	28	359.06
501MRMH	1/4" drive, 10-50 in. lb. Micro-adj. metal handle	52	177.39
502CF-II	3/8" drive, 5-50 ft. lb. "COMPUTORQ II" Electronic Torque Wrench	31	1,058.36
502LDFN	3/8" drive, 0-50 ft. lb. Dial Torque Wrench, Dual Scale	49	241.39
502LDFNSS	3/8" drive, 0-50 ft. lb. Dial Torque Wrench, Single Scale	44	241.39

CDI Part Number	Description	Catalog Page	List Price
50T-I	5-75 ft. lb. Pre-Set Clicker, Interchangeable Head, "J" Shank	59	152.88
5T-I	10-50 in. lb. Pre-Set Clicker, Interchangeable Head, "J" Shank	59	137.83
6002LDIN	3/8" drive, 0-600 in. lb. Dial Torque Wrench, Dual Scale	48	241.39
6002LDINSS	3/8" drive, 0-600 in. lb. Dial Torque Wrench, Single Scale	44	241.39
6004CF-II	3/4" drive, 60-600 ft. lb. "COMPUTORQ II" Electronic Torque Wrench	31	1,421.42
6004-F-ETT	3/4" drive, 60-600 ft. lb. Electronic Torque Tester	24	2,156.08
6004-F-MT	3/4" drive, 60-600 ft. lb. Multitorq Sensor	28	563.57
6004LDFE	3/4" drive, 0-600 ft. lb. Dial w/ light and buzzer, Dual Scale	49	872.89
6004LDFESS	3/4" drive, 0-600 ft. lb. Dial w/ light and buzzer, Single Scale	45	872.89
6004LDFN	3/4" drive, 0-600 ft. lb. Dial Torque Wrench, Dual Scale	49	614.60
6004LDFNSS	3/4" drive, 0-600 ft. lb. Dial Torque Wrench, Single Scale	45	614.60
6004MFRMH	3/4" drive, 100-600 ft. lb. Micro-adj. metal handle	52	772.95
6004MFRPH	3/4" drive, 100-600 ft. lb. Micro-adj. comfort grip	54	772.95
600T-I	100-600 ft. lb. Pre-Set Clicker, Interchangeable Head, "Z" Shank	59	709.46
600TL	Mechanical Loader 600 ft. lb.	13	4,362.05
602NMRMH	3/8" drive, 10-60 Nm Micro-adj. metal handle	53	192.82
61NSM	1/4" female hex drive, 10-80 cNm Micro-adj. Torque Screwdriver	38	228.04
61SM	1/4" female hex drive, 20-100 in. oz. Micro-adj. Torque Screwdriver	38	228.04
61SP	1/4" female hex drive, 10-100 in. oz. Pre-set Torque Screwdriver	39	179.10
65-26-2	1/2" sq. x 3/8" sq. Socket Adapter	63	126.10
65-26-3	1/2" sq. x 1/2" sq. Socket Adapter	63	72.14
65-78-1	1/2" sq. x 3/4" sq. Socket Adapter	63	112.31
65-78-2	3/4" sq. x 3/4" sq. Socket Adapter	63	130.11
702NLDNSS	3/8" drive, 0-70 Nm Dial Torque Wrench, Single Scale	46	241.39
7502MRMH	3/8" drive, 100-750 in. lb. Micro-adj. metal handle	52	192.82
751LDIN	1/4" drive, 0-75 in. lb. Dial Torque Wrench, Dual Scale	48	221.25
751LDINSS	1/4" drive, 0-75 in. lb. Dial Torque Wrench, Single Scale	44	221.25
75-20	1" sq. x 1" sq. Socket Adapter	63	256.37
75-25-1	1" sq. x 3/4" sq. Socket Adapter	63	560.65
752LDIN	3/8" drive, 0-75 in. lb. Dial Torque Wrench, Dual Scale	48	221.25
752LDINSS	3/8" drive, 0-75 in. lb. Dial Torque Wrench, Single Scale	44	221.25
752MFRMH	3/8" drive, 5-75 ft. lb. Micro-adj. metal handle, Single Scale	52	192.82
75MFIMH	"Y" drive, 5-75 ft. lb. Micro-adj. Interchangeable Head, metal handle, Single Scale	57	229.99
8004NLDDESS	3/4" drive, 0-800 Nm Dial w/ light and buzzer, Single Scale	47	872.89
8004NLDNSS	3/4" drive, 0-800 Nm Dial Torque Wrench, Single Scale	47	614.60
8004NMRRMH	3/4" drive, 150-800 Nm Micro-adj. metal handle, Single Scale	53	772.95
802MFRFMHSS	3/8" drive, 10-80 ft. lb. Micro-adj. flex-ratchet head metal handle, Single Scale	55	208.67
900-0-1KIT	1/4" drive, 50 in. lb. Capacity Joint Rate Simulator	3	367.43
900-2-01KIT	3/8" drive, 400 in. lb. Capacity Joint Rate Simulator	3	396.55
900-3-01KIT	3/8" drive, 1000 in. lb. Capacity Joint Rate Simulator	3	435.41
91NLDNSS	1/4" drive, 0-9 Nm Dial Torque Wrench, Single Scale	46	221.25
92NLDNSS	3/8" drive, 0-9 Nm Dial Torque Wrench, Single Scale	46	221.25
DPT1200	1200 ft.lb. Digital Torque Multiplier	35	4,314.40
DPT2500	2500 ft.lb. Digital Torque Multiplier	35	10,719.48
ENDURO3R250T	1/2" drive, 30-250 ft. lb. Heavy Duty Torque Wrench, Single Scale	56	262.49
FDH-14	1/4" Female Square by 1/4" Female Hex Flex Adapter	63	25.14
P113-50	Cable Computorq to 9 PIN P.C.	31	125.78
P113-60	Cable Computorq to 25 PIN Printer	31	136.70
QJD12	Ratchet Head Drive "J", 3/8" (RJD-6)	60	129.70
QJD16	Ratchet Head Drive "J", 1/2" (RJD-8)	60	143.86
QJD8	Ratchet Head Drive "J", 1/4" (RJD-4)	60	126.62
QJO10	Open End "J", 5/16" (RJD-5)	61	67.21
QJO12	Open End "J", 3/8" (RJE-6)	61	73.10
QJO14	Open End "J", 7/16" (RJE-7)	61	75.27
QJO16	Open End "J", 1/2" (RJE-8)	61	76.65
QJO18	Open End "J", 9/16" (RJE-9)	61	83.39
QJO20	Open End "J", 5/8" (RJE-10)	61	101.74
QJO22	Open End "J", 11/16" (RJE-11)	61	103.75

CDI Part Number	Description	Catalog Page	List Price
QJO24	Open End "J", 3/4" (RJE-12)	61	108.95
QJO26	Open End "J", 13/16" (RJE-13)	61	112.61
QJO28	Open End "J", 7/8" (RJE-14)	61	120.25
QJO30	Open End "J", 15/16" (RJE-15)	61	125.34
QJO32	Open End "J", 1" (RJE-16)	61	132.03
QJO34	Open End "J", 1 1/16" (RJE-17)	61	135.58
QJO36	Open End "J", 1 1/8" (RJE-18)	61	137.01
QJO38	Open End "J", 1 3/16"	61	141.94
QJO40	Open End "J", 1 1/4" (RJE-20)	61	186.72
QJO42	Open End "J", 1 5/16" (RJE-21)	61	194.41
QJO44	Open End "J", 1 3/8" (RJE-22)	61	199.23
QJO46	Open End "J", 1 7/16"	61	203.37
QJO48	Open End "J", 1 1/2" (RJE-24)	61	211.96
QJO8	Open End "J", 1/4" (RJE-4)	61	66.04
QJOM10	Open End "J", 10mm (RJE-10MM)	61	73.10
QJOM11	Open End "J", 11mm (RJE-11MM)	61	74.90
QJOM12	Open End "J", 12mm (RJE-12MM)	61	76.65
QJOM13	Open End "J", 13mm (RJE-13MM)	61	77.82
QJOM14	Open End "J", 14mm (RJE-14MM)	61	83.39
QJOM15	Open End "J", 15mm (RJE-15MM)	61	101.74
QJOM16	Open End "J", 16mm (RJE-16MM)	61	101.74
QJOM17	Open End "J", 17mm (RJE-17MM)	61	103.75
QJOM18	Open End "J", 18mm (RJE-18MM)	61	107.89
QJOM19	Open End "J", 19mm (RJE-19MM)	61	108.95
QJOM8	Open End "J", 8mm (RJE-8MM)	61	66.04
QJOM9	Open End "J", 9mm (RJE-9MM)	61	71.92
QJRXS12	Flare Nut "J", 3/8" (RJR-6)	60	96.70
QJRXS14	Flare Nut "J", 7/16" (RJR-7)	60	99.51
QJRXS16	Flare Nut "J", 1/2" (RJR-8)	60	101.74
QJRXS18	Flare Nut "J", 9/16" (RJR-9)	60	105.40
QJRXS20	Flare Nut "J", 5/8" (RJR-10)	60	120.15
QJRXS22	Flare Nut "J", 11/16" (RJR-11)	60	124.28
QJRXS24	Flare Nut "J", 3/4" (RJR-12)	60	130.27
QJRXS26	Flare Nut "J", 13/16"	60	139.45
QJRXS28	Flare Nut "J", 7/8" (RJR-14)	60	149.59
QJRXS30	Flare Nut "J", 15/16" (RJR-15)	60	157.38
QJRXS32	Flare Nut "J", 1" (RJR-16)	60	175.69
QJSD12	Plain Head Drive "J" drive, 3/8" (RJP-6)	61	108.37
QJSD16	Plain Head Drive "J" drive, 1/2" (RJP-8)	61	115.91
QJSD8	Plain Head Drive "J" drive, 1/4" (RJP-4)	61	103.28
QJX12	Box End "J", 3/8" (RJB-6)	60	73.10
QJX14	Box End "J", 7/16" (RJB-7)	60	75.32
QJX16	Box End "J", 1/2" (RJB-8)	60	77.34
QJX18	Box End "J", 9/16" (RJB-9)	60	83.39
QJX20	Box End "J", 5/8" (RJB-10)	60	101.74
QJX22	Box End "J", 11/16" (RJB-11)	60	103.75
QJX24	Box End "J", 3/4" (RJB-12)	60	108.95
QJX26	Box End "J", 13/16" (RJB-13)	60	112.61
QJX28	Box End "J", 7/8" (RJB-14)	60	134.42
QJX30	Box End "J", 15/16" (RJB-15)	60	125.34
QJX8	Box End "J", 1/4" (RJB-4)	60	66.04
QJXM10	Box End "J", 10mm (RJB-10MM)	60	73.10
QJXM11	Box End "J", 11mm (RJB-11MM)	60	74.90
QJXM12	Box End "J", 12mm (RJB-12MM)	60	88.43
QJXM13	Box End "J", 13mm (RJB-13MM)	60	77.82
QJXM14	Box End "J", 14mm (RJB-14MM)	60	83.39
QJXM15	Box End "J", 15mm (RJB-15MM)	60	102.00
QJXM17	Box End "J", 17mm (RJB-17MM)	60	103.75

CDI Part Number	Description	Catalog Page	List Price
QJXM19	Box End "J", 19mm (RJB-19MM)	60	110.12
QJXM8	Box End "J", 8mm (RJB-8MM)	60	70.76
QJXM9	Box End "J", 9mm (RJB-9MM)	60	71.92
QXD24	Ratchet Head Drive "X", 3/4" (RXD-12)	60	258.96
QXSD24	Plain Head Drive "X" drive, 3/4" (RXP-12)	61	337.97
QYD16	Ratchet Head Drive "Y", 1/2" (RYD-8)	60	143.86
QYO24	Open End "Y", 3/4" (RYE-12)	61	108.95
QYO26	Open End "Y", 13/16" (RYE-13)	61	112.61
QYO28	Open End "Y", 7/8" (RYE-14)	61	120.25
QYO30	Open End "Y", 15/16" (RYE-15)	61	125.34
QYO32	Open End "Y", 1" (RYE-16)	61	132.03
QYO34	Open End "Y", 1 1/16" (RYE-17)	61	135.58
QYO36	Open End "Y", 1 1/8" (RYE-18)	61	137.01
QYO38	Open End "Y", 1 3/16"	61	141.94
QYO40	Open End "Y", 1 1/4" (RYE-20)	61	186.72
QYO42	Open End "Y", 1 5/16" (RYE-21)	61	194.41
QYO44	Open End "Y", 1 3/8" (RYE-22)	61	199.23
QYO46	Open End "Y", 1 7/16" (RYE-23)	61	203.37
QYO48	Open End "Y", 1 1/2" (RYE-24)	61	211.96
QYO50	Open End "Y", 1 9/16" (RYE-25)	61	250.16
QYO52	Open End "Y", 1 5/8" (RYE-26)	61	259.33
QYO54	Open End "Y", 1 11/16" (RYE-27)	61	271.17
QYO56	Open End "Y", 1 3/4" (RYE-28)	61	281.14
QYO58	Open End "Y", 1 13/16" (RYE-29)	61	292.71
QYO60	Open End "Y", 1 7/8" (RYE-30)	61	305.32
QYO64	Open End "Y", 2" (RYE-32)	61	322.99
QYOM14	Open End "Y", 14mm (RYE-14MM)	61	83.39
QYOM15	Open End "Y", 15mm (RYE-15MM)	61	101.74
QYOM16	Open End "Y", 16mm (RYE-16MM)	61	101.74
QYOM17	Open End "Y", 17mm (RYE-17MM)	61	103.75
QYOM18	Open End "Y", 18mm (RYE-18MM)	61	107.89
QYOM19	Open End "Y", 19mm (RYE-19MM)	61	108.95
QYOM22	Open End "Y", 22mm (RYE-22MM)	61	125.34
QYOM24	Open End "Y", 24mm (RYE-24MM)	61	143.86
QYRXS24	Flare Nut "Y", 3/4" (RYR-12)	60	130.27
QYRXS26	Flare Nut "Y", 13/16"	60	139.45
QYRXS28	Flare Nut "Y", 7/8" (RYR-14)	60	149.59
QYRXS30	Flare Nut "Y", 15/16" (RYR-15)	60	157.38
QYRXS32	Flare Nut "Y", 1" (RYR-16)	60	175.69
QYSD16	Plain Head Drive "Y" drive, 1/2" (RYP-8)	61	115.91
QYX16	Box End "Y", 1/2" (RYB-8)	60	77.34
QYX18	Box End "Y", 9/16" (RYB-9)	60	83.39
QYX20	Box End "Y", 5/8" (RYB-10)	60	101.74
QYX22	Box End "Y", 11/16" (RYB-11)	60	103.75
QYX24	Box End "Y", 3/4" (RYB-12)	60	108.95
QYX26	Box End "Y", 13/16"	60	112.61
QYX28	Box End "Y", 7/8" (RYB-14)	60	134.42
QYX30	Box End "Y", 15/16" (RYB-15)	60	125.34
QYX32	Box End "Y", 1" (RYB-16)	60	132.03
QYX36	Box End "Y", 1 1/8" (RYB-18)	60	137.01
QYX38	Box End "Y", 1 3/16"	60	141.94
QZD24A	Ratchet Head Drive "Z", 3/4"	60	344.95
QZD32A	Ratchet Head Drive "Z", 1"	60	401.17
QZSD24	Plain Head Drive "Z" drive, 3/4"	61	168.47
QZSD32	Plain Head Drive "Z" drive, 1"	61	252.17
R-0406	Reducer Adapter, Female 1/4" drive by Male 3/8" drive	63	15.90
R-0608	Reducer Adapter, Female 3/8" drive by Male 1/2" drive	63	17.47
R-0812	Reducer Adapter, Female 1/2" drive by Male 3/4" drive	63	21.63

CDI Part Number	Description	Catalog Page	List Price
R-1216	Reducer Adapter, Female 3/4" drive by Male 1" drive	63	27.52
RA-1	Ratchet Adapter, Female 1/4" drive by Male 1/4" drive	63	51.91
RA-2	Ratchet Adapter, Female 3/8" drive by Male 3/8" drive	63	69.60
RA-3	Ratchet Adapter, Female 1/2" drive by Male 1/2" drive	63	93.66
RA-4	Ratchet Adapter, Female 3/4" drive by Male 3/4" drive	63	138.22
S/2000-221-0	1 1/4" x 3/4" Adapter for 40" Arm	19	669.60
TA-3	Torque Angle Guage, Female 1/2" drive by Male 1/2" drive	63	105.88
TA-4	Torque Angle Guage, Female 3/4" drive by Male 3/4" drive	63	233.34
TRB1200	Reaction Arm for DPT1200	35	433.12