

CDI Part Number	Product	Page
1.81NLDNSS	.1/4" drive, 0-1.8 Nm Dial Torque Wrench, Single Scale	.46
10002-I-ETT	.3/8" drive, 100-1000 in. lb. Electronic Torque Tester	.24
10002MRMH	.3/8" drive, 150-1000 in. lb. Micro-adj. metal handle	.52
10002MRPH	.3/8" drive, 150-1000 in. lb. Micro-adj. comfort grip	.54
10005CF-II	1" drive, 100-1000 ft. lb. "COMPUTORQ II" Electronic Torque Wrench	.31
10005LDFE	1" drive, 0-1000 ft. lb. Dial w/ light and buzzer, Dual Scale	.49
10005LDFESS	1" drive, 0-1000 ft. lb. Dial w/ light and buzzer, Single Scale	.45
10005LDFN	1" drive, 0-1000 ft. lb. Dial Torque Wrench, Dual Scale	.49
10005LDFNSS	1" drive, 0-1000 ft. lb. Dial Torque Wrench, Single Scale	.45
10005MFRMH	1" drive, 200-1000 ft. lb. Micro-adj. metal handle	.52
10005MFRPH	1" drive, 200-1000 ft. lb. Micro-adj. comfort grip	.54
1001-I-ETT	.1/4" drive, 10-100 in. lb. Electronic Torque Tester	.24
1001-O-ETT	.1/4" drive, 10-100 in. oz. Electronic Torque Tester	.24
1002CF3	.3/8" dr. 10-100 ft.lb. Computorq 3 Digital Torque Wrench	.33
1002-F-MT	.3/8" drive, 10-100 ft. lb. Multitorq Sensor	.28
1002MFRMH	.3/8" drive, 10-100 ft. lb. Micro-adj. metal handle	.52
1002MFRPH	.3/8" drive, 10-100 ft. lb. Micro-adj. comfort grip	.54
1002NMRMH	.3/8" drive, 20-100 Nm Micro-adj. metal handle	.53
1003LDFN	.1/2" drive, 0-100 ft. lb. Dial Torque Wrench, Dual Scale	.49
1003LDFNSS	.1/2" drive, 0-100 ft. lb. Dial Torque Wrench, Single Scale	.45
100T-I	20-150 ft. lb. Pre-Set Clicker, Interchangeable Head, "Y" Shank	.59
101-I-MT	.1/4" drive, 1-10 in. lb. Multitorq Sensor	.28
10ST-I	.84-300 in. lb. Pre-Set Clicker, Short tube, Interchangeable Head, "J" Shank	.59
10T-I	.30-250 in. lb. Pre-Set Clicker, Interchangeable Head, "J" Shank	.59
14005NLDESS	1" drive, 0-1400 Nm Dial w/ light and buzzer, Single Scale	.47
14005NLDNSS	1" drive, 0-1400 Nm Dial Torque Wrench, Single Scale	.47
1403NLDNSS	.1/2" drive, 0-140 Nm Dial Torque Wrench, Single Scale	.47
15005-F-MT	1" drive, 150-1500 ft. lb. Multitorq Sensor	.28
15005NMRMH	1" drive, 300-1500 Nm Micro-adj. metal handle	.53
1501MRMH	.1/4" drive, 20-150 in. lb. Micro-adj. metal handle	.52
1501MRPH	.1/4" drive, 20-150 in. lb. Micro-adj. comfort grip	.54
1501TP-1	.1/4" sq. drive, 20-170 in. lb. Torky	.41
1501TPA-1	.1/4" hex drive, 20-170 in. lb. Torky	.41
1502LDIN	.3/8" drive, 0-150 in. lb. Dial Torque Wrench, Dual Scale	.48
1502LDINSS	.3/8" drive, 0-150 in. lb. Dial Torque Wrench, Single Scale	.44
1502MRMH	.3/8" drive, 20-150 in. lb. Micro-adj. metal handle	.52
1502TP-1	.3/8" sq. drive, 20-170 in. lb. Torky	.41
1503MFRMH	.1/2" drive, 20-150 ft. lb. Micro-adj. metal handle	.52
1503MFRPH	.1/2" drive, 20-150 ft. lb. Micro-adj. comfort grip	.54
150MFIMH	"Y" drive, 20-150 ft. lb. Micro-adj. Interchangeable Head, metal handle	.57
151LDIN	.1/4" drive, 0-15 in. lb. Dial Torque Wrench, Dual Scale	.48

CDI Part Number	Product	Page
2000-150-03	Transducer Bracket, 1000-2000 ft.lb.	20
2000-151-0	5" Calibration Wheel	3
2000-152-0	10" Butterfly Calibration Wheel	3
2000-152-3	1/2" X 3/8" Calibration Arm Adapter	19
2000-154-0	40" Calibration Arm	3
2000-154-8	1 1/4" x 3/4" Calibration Arm Adapter	19
2000-2	Multitest Supreme Calibration System Complete	4
2000-226-2	1" x 3/4" Calibration Arm Adapter	19
2000-226-3	3/4" x 1/2" Sq. Drive Reducer	19
2000-250-02	Calibration Stand Kit	3
2000-260-0	Force Tensiometer Testing Kit 10 Cables 1/16" to 3/8"	3
2000-261-0	Force Tension Gage Kit	3
2000-262-0	Force Compression Gage Kit	3
2000-263-02	Force Arm Kit-Small and Large Arms	3
2000-3	Multitest Basic Calibration System Complete	5
2000-301	8 oz. Hanger Calibration Weight Tray	3
2000-302-0	15 lb. Calibration Weight Tray	3
2000-303-0	50 lb. Calibration Weight Tray	3
2000-304-0	7.5 lb. Calibration Weight Tray	3
2000-320-0	Weight Set #1	3
2000-321-0	Weight Set #2	18
2000-322-0	Weight Set #3	18
2000-400-02	4 in 1 Transducer Kit-Range 4 in. lb. to 250 ft. lb.	3
2000-4-02	Transducer Kit-Range 5-50 in. oz.	3
2000-500-02	4 in 1 Transducer Adapter Kit	3
2000-50-1	Cable from Multitest to PC	3
2000-5-02	Transducer Kit-Range 15-200 in. oz.	3
2000-50-2	Cable from Multitest to External Serial Printer	11
2000-550-02	Extension Arm for Long Torque Wrench, Reach up to 80"	3
20005LDFE	1" drive, 0-2000 ft. lb. Dial w/ light and buzzer, "T" Style, Dual Scale	49
20005LDFESS	1" drive, 0-2000 ft. lb. Dial w/ light and buzzer, "T" Style, Single Scale	45
20005MFMH	1" drive, 300-2000 ft. lb. Micro-adj. metal handle	52
2000-600-02	Mechanical Loader Max 2000 ft.lb.	3
2000-6-02	Transducer Kit-Range 4-50 in. lb.	3
2000-610-02	Multitest Digital Monitor	3
2000-65-02	Transducer Kit-Range 15-150 in. lb.	3
2000-7-02	Transducer Kit-Range 30-400 in. lb.	3
2000-750-02	Torque Screwdriver Testing Kit for 2000-600-02 Loader	3
2000-750-06	Torque Screwdriver Testing Kit for 600TL Loader	15
2000-8-02	Transducer Kit-Range 80-1000 in. lb.	3
2000-SW	Wedgelink Software	3

CDI Part Number	Product	Page
2001-I-MT	.1/4" drive, 20-200 in. lb. Multitorq Sensor	28
2002MRMH	.3/8" drive, 30-200 in. lb. Micro-adj. metal handle	52
2003NMRMH	.1/2" drive, 40-200 Nm Micro-adj. metal handle	53
200T-I	.30-200 ft. lb. Pre-Set Clicker, Interchangeable Head, "Y" Shank	59
201-O-MT	.1/4" drive, 2-20 in. oz. Multitorq Sensor	28
21SP	.1/4" female hex drive, 6-32 in. oz. Pre-set Torque Screwdriver	39
2401CI3	.1/4" dr. 24-240 in.lb. Computorq 3 Digital Torque Wrench	33
2403NLDNSS	.1/2" drive, 0-240 Nm Dial Torque Wrench, Single Scale	47
25003MRMH	.1/2" drive, 300-2500 in. lb. Micro-adj. metal handle	52
2500-50-0	.2 1/2" Calibration Wheel	3
25005NLDESS	.1" drive, 0-2500 Nm Dial w/ light and buzzer, "T" Style, Single Scale	47
2502CI-II	.3/8" drive, 25-250 in. lb. "COMPUTORQ II" Electronic Torque Wrench	31
2502-I-ETT	.3/8" drive, 25-250 in. lb. Electronic Torque Tester	24
2502LDIN	.3/8" drive, 0-250 in. lb. Dial Torque Wrench, Dual Scale	48
2502LDINSS	.3/8" drive, 0-250 in. lb. Dial Torque Wrench, Single Scale	44
2502MRMH	.3/8" drive, 30-250 in. lb. Micro-adj. metal handle	52
2502MRPH	.3/8" drive, 30-250 in. lb. Micro-adj. comfort grip	54
2503CF3	.1/2" dr. 25-250 ft.lb. Computorq 3 Digital Torque Wrench	33
2503CF-II	.1/2" drive, 25-250 ft. lb. "COMPUTORQ II" Electronic Torque Wrench	31
2503-F-ETT	.1/2" drive, 25-250 ft. lb. Electronic Torque Tester	24
2503-F-MT	.1/2" drive, 25-250 ft. lb. Multitorq Sensor	28
2503LDFN	.1/2" drive, 0-250 ft. lb. Dial Torque Wrench, Dual Scale	49
2503LDFNSS	.1/2" drive, 0-250 ft. lb. Dial Torque Wrench, Single Scale	45
2503MFRMH	.1/2" drive, 30-250 ft. lb. Micro-adj. metal handle	52
2503MFRPH	.1/2" drive, 30-250 ft. lb. Micro-adj. comfort grip	54
250MFIMH	"Y" drive, 30-250 ft. lb. Micro-adj. Interchangeable Head, metal handle	57
252LDFN	.3/8" drive, 0-25 ft. lb. Dial Torque Wrench, Dual Scale	49
252LDFNSS	.3/8" drive, 0-25 ft. lb. Dial Torque Wrench	44
260-27	.1/4" hex x 1/4" sq. Socket Adapter	63
2800-1	Multitest Motorized System Complete	7
3.51NLDNSS	.1/4" drive, 0-3.5 Nm Dial Torque Wrench, Single Scale	46
3002LDIN	.3/8" drive, 0-300 in. lb. Dial Torque Wrench, Dual Scale	48
3002LDINSS	.3/8" drive, 0-300 in. lb. Dial Torque Wrench, Single Scale	44
300T-I	.60-300 ft. lb. Pre-Set Clicker, Interchangeable Head, "X" Shank	59
301LDIN	.1/4" drive, 0-30 in. lb. Dial Torque Wrench, Dual Scale	48
301LDINSS	.1/4" drive, 0-30 in. lb. Dial Torque Wrench, Single Scale	44
302NLDNSS	.3/8" drive, 0-30 Nm Dial Torque Wrench, Single Scale	46
3403NMRMH	.1/2" drive, 60-340 Nm Micro-adj. metal handle	53
342-35	Transducer Mounting Bracket up to 1000 in. lb. (TB342/1)	20
342-36	Transducer Mounting Bracket 125-600 ft. lb. (TB342/2)	20
342-40	.1/4" sq. x 1/4" sq. Socket Adapter	63

CDI Part Number	Product	Page
342-41-1	.1/4" sq. x 3/8" sq. Socket Adapter	.63
342-41-2	.3/8" sq. x 3/8" sq. Socket Adapter	.63
343-25	Transducer Bracket, 4 in 1 / ETT	.20
3503NLDNSS	.1/2" drive, 0-350 Nm Dial Torque Wrench, Single Scale	.47
3504LDFN	.3/4" drive, 0-350 ft. lb. Dial Torque Wrench, Dual Scale	.49
3504LDFNSS	.3/4" drive, 0-350 ft. lb. Dial Torque Wrench, Single Scale	.45
352NLDNSS	.3/8" drive, 0-35 Nm Dial Torque Wrench, Single Scale	.46
390-2-2	.4 oz. Hanger Calibration Weight Tray	.3
4001-O-ETT	.1/4" drive, 40-400 in. oz. Electronic Torque Tester	.24
4004MFRMH	.3/4" drive, 80-400 ft. lb. Micro-adj. metal handle	.52
401NSM	.1/4" female hex drive, 50-450 cNm Micro-adj. Torque Screwdriver	.38
401SM	.1/4" female hex drive, 5-40 in. lb. Micro-adj. Torque Screwdriver	.38
401SP	.1/4" female hex drive, 4-40 in. lb. Pre-set Torque Screwdriver	.39
4804NLDNSS	.3/4" drive, 0-480 Nm Dial Torque Wrench	.47
5000-1	Suretest Premier Calibration System Complete	.11
5000-2	Suretest Supreme Calibration System Complete	.12
5000-3	Suretest Basic Calibration System Complete	.13
5000-ST	Suretest Monitor w/Cable and Case	.11
501CI-II	.1/4" drive, 5-50 in. lb. "COMPUTORQ II" Electronic Torque Wrench	.31
501-I-ETT	.1/4" drive, 5-50 in. lb. Electronic Torque Tester	.24
501-I-MT	.1/4" drive, 5-50 in. lb. Multitorq Sensor	.28
501MRMH	.1/4" drive, 10-50 in. lb. Micro-adj. metal handle	.52
502CF-II	.3/8" drive, 5-50 ft. lb. "COMPUTORQ II" Electronic Torque Wrench	.31
502LDFN	.3/8" drive, 0-50 ft. lb. Dial Torque Wrench, Dual Scale	.49
502LDFNSS	.3/8" drive, 0-50 ft. lb. Dial Torque Wrench, Single Scale	.44
50T-I	.5-75 ft. lb. Pre-Set Clicker, Interchangeable Head, "J" Shank	.59
5T-I	.10-50 in. lb. Pre-Set Clicker, Interchangeable Head, "J" Shank	.59
6002LDIN	.3/8" drive, 0-600 in. lb. Dial Torque Wrench, Dual Scale	.48
6002LDINSS	.3/8" drive, 0-600 in. lb. Dial Torque Wrench, Single Scale	.44
6004CF-II	.3/4" drive, 60-600 ft. lb. "COMPUTORQ II" Electronic Torque Wrench	.31
6004-F-ETT	.3/4" drive, 60-600 ft. lb. Electronic Torque Tester	.24
6004-F-MT	.3/4" drive, 60-600 ft. lb. Multitorq Sensor	.28
6004LDFE	.3/4" drive, 0-600 ft. lb. Dial w/ light and buzzer, Dual Scale	.49
6004LDFESS	.3/4" drive, 0-600 ft. lb. Dial w/ light and buzzer, Single Scale	.45
6004LDFN	.3/4" drive, 0-600 ft. lb. Dial Torque Wrench, Dual Scale	.49
6004LDFNSS	.3/4" drive, 0-600 ft. lb. Dial Torque Wrench, Single Scale	.45
6004MFRMH	.3/4" drive, 100-600 ft. lb. Micro-adj. metal handle	.52
6004MFRPH	.3/4" drive, 100-600 ft. lb. Micro-adj. comfort grip	.54
600T-I	.100-600 ft. lb. Pre-Set Clicker, Interchangeable Head, "Z" Shank	.59
600TL	Mechanical Loader 600 ft. lb.	.13
602NMRMH	.3/8" drive, 10-60 Nm Micro-adj. metal handle	.53

CDI Part Number	Product	Page
61NSM	.1/4" female hex drive, 10-80 cNm Micro-adj. Torque Screwdriver	38
61SM	.1/4" female hex drive, 20-100 in. oz. Micro-adj. Torque Screwdriver	38
61SP	.1/4" female hex drive, 10-100 in. oz. Pre-set Torque Screwdriver	39
65-26-2	.1/2" sq. x 3/8" sq. Socket Adapter	63
65-26-3	.1/2" sq. x 1/2" sq. Socket Adapter	63
65-78-1	.1/2" sq. x 3/4" sq. Socket Adapter	63
65-78-2	.3/4" sq. x 3/4" sq. Socket Adapter	63
702NLDNSS	.3/8" drive, 0-70 Nm Dial Torque Wrench, Single Scale	46
7502MRMH	.3/8" drive, 100-750 in. lb. Micro-adj. metal handle	52
751LDIN	.1/4" drive, 0-75 in. lb. Dial Torque Wrench, Dual Scale	48
751LDINSS	.1/4" drive, 0-75 in. lb. Dial Torque Wrench, Single Scale	44
75-20	1" sq. x 1" sq. Socket Adapter	63
75-25-1	1" sq. x 3/4" sq. Socket Adapter	63
752LDIN	.3/8" drive, 0-75 in. lb. Dial Torque Wrench, Dual Scale	48
752LDINSS	.3/8" drive, 0-75 in. lb. Dial Torque Wrench, Single Scale	44
752MFRMH	.3/8" drive, 5-75 ft. lb. Micro-adj. metal handle, Single Scale	52
75MFIMH	"Y" drive, 5-75 ft. lb. Micro-adj. Interchangeable Head, metal handle, Single Scale	57
8004NLDESS	.3/4" drive, 0-800 Nm Dial w/ light and buzzer, Single Scale	47
8004NLDNSS	.3/4" drive, 0-800 Nm Dial Torque Wrench, Single Scale	47
8004NMRMH	.3/4" drive, 150-800 Nm Micro-adj. metal handle, Single Scale	53
802MFRFMHSS	.3/8" drive, 10-80 ft. lb. Micro-adj. flex-ratchet head metal handle, Single Scale	55
900-0-1KIT	.1/4" drive, 50 in. lb. Capacity Joint Rate Simulator	3
900-2-01KIT	.3/8" drive, 400 in. lb. Capacity Joint Rate Simulator	3
900-3-01KIT	.3/8" drive, 1000 in. lb. Capacity Joint Rate Simulator	3
91NLDNSS	.1/4" drive, 0-9 Nm Dial Torque Wrench, Single Scale	46
92NLDNSS	.3/8" drive, 0-9 Nm Dial Torque Wrench, Single Scale	46
DPT1200	1200 ft.lb. Digital Torque Multiplier	35
DPT2500	2500 ft.lb. Digital Torque Multiplier	35
ENDURO3R250T	.1/2" drive, 30-250 ft. lb. Heavy Duty Torque Wrench, Single Scale	56
FDH-14	.1/4" Female Square by 1/4" Female Hex Flex Adapter	63
P113-50	Cable Computorq to 9 PIN P.C.	31
P113-60	Cable Computorq to 25 PIN Printer	31
QJD12	Ratchet Head Drive "J", 3/8" (RJD-6)	60
QJD16	Ratchet Head Drive "J", 1/2" (RJD-8)	60
QJD8	Ratchet Head Drive "J", 1/4" (RJD-4)	60
QJO10	Open End "J", 5/16" (RJD-5)	61
QJO12	Open End "J", 3/8" (RJE-6)	61
QJO14	Open End "J", 7/16" (RJE-7)	61
QJO16	Open End "J", 1/2" (RJE-8)	61
QJO18	Open End "J", 9/16" (RJE-9)	61
QJO20	Open End "J", 5/8" (RJE-10)	61
QJO22	Open End "J", 11/16" (RJE-11)	61

CDI Part Number	Product	Page
QJ024	Open End "J", 3/4" (RJE-12)	61
QJ026	Open End "J", 13/16" (RJE-13)	61
QJ028	Open End "J", 7/8" (RJE-14)	61
QJ030	Open End "J", 15/16" (RJE-15)	61
QJ032	Open End "J", 1" (RJE-16)	61
QJ034	Open End "J", 1 1/16" (RJE-17)	61
QJ036	Open End "J", 1 1/8" (RJE-18)	61
QJ038	Open End "J", 1 3/16" (RJE-19)	61
QJ040	Open End "J", 1 1/4" (RJE-20)	61
QJ042	Open End "J", 1 5/16" (RJE-21)	61
QJ044	Open End "J", 1 3/8" (RJE-22)	61
QJ046	Open End "J", 1 7/16" (RJE-23)	61
QJ048	Open End "J", 1 1/2" (RJE-24)	61
QJ08	Open End "J", 1/4" (RJE-4)	61
QJOM10	Open End "J", 10mm (RJE-10MM)	61
QJOM11	Open End "J", 11mm (RJE-11MM)	61
QJOM12	Open End "J", 12mm (RJE-12MM)	61
QJOM13	Open End "J", 13mm (RJE-13MM)	61
QJOM14	Open End "J", 14mm (RJE-14MM)	61
QJOM15	Open End "J", 15mm (RJE-15MM)	61
QJOM16	Open End "J", 16mm (RJE-16MM)	61
QJOM17	Open End "J", 17mm (RJE-17MM)	61
QJOM18	Open End "J", 18mm (RJE-18MM)	61
QJOM19	Open End "J", 19mm (RJE-19MM)	61
QJOM8	Open End "J", 8mm (RJE-8MM)	61
QJOM9	Open End "J", 9mm (RJE-9MM)	61
QJRXS12	Flare Nut "J", 3/8" (RJR-6)	60
QJRXS14	Flare Nut "J", 7/16" (RJR-7)	60
QJRXS16	Flare Nut "J", 1/2" (RJR-8)	60
QJRXS18	Flare Nut "J", 9/16" (RJR-9)	60
QJRXS20	Flare Nut "J", 5/8" (RJR-10)	60
QJRXS22	Flare Nut "J", 11/16" (RJR-11)	60
QJRXS24	Flare Nut "J", 3/4" (RJR-12)	60
QJRXS26	Flare Nut "J", 13/16" (RJR-13)	60
QJRXS28	Flare Nut "J", 7/8" (RJR-14)	60
QJRXS30	Flare Nut "J", 15/16" (RJR-15)	60
QJRXS32	Flare Nut "J", 1" (RJR-16)	60
QJSD12	Plain Head Drive "J" drive, 3/8" (RJP-6)	61
QJSD16	Plain Head Drive "J" drive, 1/2" (RJP-8)	61
QJSD8	Plain Head Drive "J" drive, 1/4" (RJP-4)	61
QJX12	Box End "J", 3/8" (RJB-6)	60
QJX14	Box End "J", 7/16" (RJB-7)	60

CDI Part Number	Product	Page
QJX16	Box End "J", 1/2" (RJB-8)	.60
QJX18	Box End "J", 9/16" (RJB-9)	.60
QJX20	Box End "J", 5/8" (RJB-10)	.60
QJX22	Box End "J", 11/16" (RJB-11)	.60
QJX24	Box End "J", 3/4" (RJB-12)	.60
QJX26	Box End "J", 13/16" (RJB-13)	.60
QJX28	Box End "J", 7/8" (RJB-14)	.60
QJX30	Box End "J", 15/16" (RJB-15)	.60
QJX8	Box End "J", 1/4" (RJB-4)	.60
QJXM10	Box End "J", 10mm (RJB-10MM)	.60
QJXM11	Box End "J", 11mm (RJB-11MM)	.60
QJXM12	Box End "J", 12mm (RJB-12MM)	.60
QJXM13	Box End "J", 13mm (RJB-13MM)	.60
QJXM14	Box End "J", 14mm (RJB-14MM)	.60
QJXM15	Box End "J", 15mm (RJB-15MM)	.60
QJXM17	Box End "J", 17mm (RJB-17MM)	.60
QJXM19	Box End "J", 19mm (RJB-19MM)	.60
QJXM8	Box End "J", 8mm (RJB-8MM)	.60
QJXM9	Box End "J", 9mm (RJB-9MM)	.60
QXD24	Ratchet Head Drive "X", 3/4" (RXD-12)	.60
QXSD24	Plain Head Drive "X" drive, 3/4" (RXP-12)	.61
QYD16	Ratchet Head Drive "Y", 1/2" (RYD-8)	.60
QY024	Open End "Y", 3/4" (RYE-12)	.61
QY026	Open End "Y", 13/16" (RYE-13)	.61
QY028	Open End "Y", 7/8" (RYE-14)	.61
QY030	Open End "Y", 15/16" (RYE-15)	.61
QY032	Open End "Y", 1" (RYE-16)	.61
QY034	Open End "Y", 1 1/16" (RYE-17)	.61
QY036	Open End "Y", 1 1/8" (RYE-18)	.61
QY038	Open End "Y", 1 3/16" (RYE-19)	.61
QY040	Open End "Y", 1 1/4" (RYE-20)	.61
QY042	Open End "Y", 1 5/16" (RYE-21)	.61
QY044	Open End "Y", 1 3/8" (RYE-22)	.61
QY046	Open End "Y", 1 7/16" (RYE-23)	.61
QY048	Open End "Y", 1 1/2" (RYE-24)	.61
QY050	Open End "Y", 1 9/16" (RYE-25)	.61
QY052	Open End "Y", 1 5/8" (RYE-26)	.61
QY054	Open End "Y", 1 11/16" (RYE-27)	.61
QY056	Open End "Y", 1 3/4" (RYE-28)	.61
QY058	Open End "Y", 1 13/16" (RYE-29)	.61
QY060	Open End "Y", 1 7/8" (RYE-30)	.61
QY064	Open End "Y", 2" (RYE-32)	.61

CDI Part Number	Product	Page
QYOM14	Open End "Y", 14mm (RYE-14MM)	61
QYOM15	Open End "Y", 15mm (RYE-15MM)	61
QYOM16	Open End "Y", 16mm (RYE-16MM)	61
QYOM17	Open End "Y", 17mm (RYE-17MM)	61
QYOM18	Open End "Y", 18mm (RYE-18MM)	61
QYOM19	Open End "Y", 19mm (RYE-19MM)	61
QYOM22	Open End "Y", 22mm (RYE-22MM)	61
QYOM24	Open End "Y", 24mm (RYE-24MM)	61
QYRXS24	Flare Nut "Y", 3/4" (RYR-12)	60
QYRXS26	Flare Nut "Y", 13/16"	60
QYRXS28	Flare Nut "Y", 7/8" (RYR-14)	60
QYRXS30	Flare Nut "Y", 15/16" (RYR-15)	60
QYRXS32	Flare Nut "Y", 1" (RYR-16)	60
QYSD16	Plain Head Drive "Y" drive, 1/2" (RYP-8)	61
QYX16	Box End "Y", 1/2" (RYB-8)	60
QYX18	Box End "Y", 9/16" (RYB-9)	60
QYX20	Box End "Y", 5/8" (RYB-10)	60
QYX22	Box End "Y", 11/16" (RYB-11)	60
QYX24	Box End "Y", 3/4" (RYB-12)	60
QYX26	Box End "Y", 13/16"	60
QYX28	Box End "Y", 7/8" (RYB-14)	60
QYX30	Box End "Y", 15/16" (RYB-15)	60
QYX32	Box End "Y", 1" (RYB-16)	60
QYX36	Box End "Y", 1 1/8" (RYB-18)	60
QYX38	Box End "Y", 1 3/16"	60
QZD24A	Ratchet Head Drive "Z", 3/4"	60
QZD32A	Ratchet Head Drive "Z", 1"	60
QZSD24	Plain Head Drive "Z" drive, 3/4"	61
QZSD32	Plain Head Drive "Z" drive, 1"	61
R-0406	Reducer Adapter, Female 1/4" drive by Male 3/8" drive	63
R-0608	Reducer Adapter, Female 3/8" drive by Male 1/2" drive	63
R-0812	Reducer Adapter, Female 1/2" drive by Male 3/4" drive	63
R-1216	Reducer Adapter, Female 3/4" drive by Male 1" drive	63
RA-1	Ratchet Adapter, Female 1/4" drive by Male 1/4" drive	63
RA-2	Ratchet Adapter, Female 3/8" drive by Male 3/8" drive	63
RA-3	Ratchet Adapter, Female 1/2" drive by Male 1/2" drive	63
RA-4	Ratchet Adapter, Female 3/4" drive by Male 3/4" drive	63
S/2000-221-0	1 1/4" x 3/4" Adapter for 40" Arm	19
TA-3	Torque Angle Guage, Female 1/2" drive by Male 1/2" drive	63
TA-4	Torque Angle Guage, Female 3/4" drive by Male 3/4" drive	63
TRB1200	Reaction Arm for DPT1200	35